

Transit IP65 outdoor/indoor DID fabrication showcase

Outdoor wall mount
Sunlight readable
IP65, weatherproof, dustproof
32", 42", 46", 47", 49", 55", 75"



Outdoor recessed wall mount
Sunlight readable
IP65, weatherproof, dustproof
32", 42", 46", 47", 49", 55", 75"



Double-sided ceiling mount
IP65, outdoor/indoor
Vandal proof, water hose cleaning
32", 42", 46", 47", 49", 55", 75"



Interactive wayfinding information standalone DID
IP65, outdoor/indoor
Remote health monitoring via Ethernet
32", 42", 46", 47", 49", 55", 75", 84"



Multi screens
IP65, outdoor/indoor
Remote health monitoring via Ethernet
32", 42", 47" and 55"



Transit IP65 DID showcase continued


Cross track transit monitor
Fully sealed maintenance free
IP65, Remote hardware maintenance
Dust proof, wind load tested monitor
70", 75" and 84"



Double-sided cross track monitor
Fully sealed maintenance free
IP65, Remote hardware maintenance
Vibration, wind load tested monitor
70" 700cd Depth: 200mm




Double double-sided cross track monitor
Fully sealed maintenance free
IP65, Remote hardware maintenance
Vibration, wind load tested monitor
70" 700cd, 84" 500cd



Underground transit monitor
Dust-proof information display
Fully sealed maintenance free
IP65, Remote hardware maintenance
55", 70", 75" and 84"



Outdoor street furniture display
Weather proof, vadal proof
Sunlight readable 2500cd
Remote hardware maintenance
55", 75" and 84"



Transit IP65 DID showcase continued 2


Customer facing information systems monitor
CFIS LCD screens at stations
IP65, fully sealed maintenance free
Remote health monitoring via Ethernet
42", 49", 55", 70", 75" and 84"



Wayfinding directional transit LCD
Interactive commercial touch screen
IP65, fully sealed maintenance free
Remote health monitoring via Ethernet
46", 49", 55", 75" and 84"



Cross track advertising LCD
Vibration, wind load tested monitor
IP65, fully sealed maintenance free
Remote health monitoring via Ethernet
55", 70", 75" and 84"



Double-sided digital IP56 KIOSK
Brake dust-proof, vandal proof LCD
Embedded i-7 computer, networking
Remote health monitoring via Ethernet
49", 55", 70", 75" and 84"



Three-sided digital KIOSK
Brake dust-proof, vandal proof LCD
Embedded i-7 processor, networking
Remote health monitoring via Ethernet
49", 55", 70", 75" and 84"

